

CREAM-TO-POWDER SHIMMER DUST

No. 830

Phase	Trade Name	INCI	%	Function
A	MIGLYOL® Gel B	Caprylic/Capric Triglyceride (and) Stearalkonium Hectorite (and) Propylene Carbonate	42.0	Texturizer and Gelling Agent
B	MIGLYOL® Coco 810	Coco-Caprylate/Caprate	7.0	Light Emollient
B	WITARIX® MCT C8	Tricaprylin	8.0	Transforming Emollient
B	SOFTISAN® 100	Hydrogenated Coco-Glycerides	4.0	Solid Lipid and Consistency Agent
B	IMWITOR® 600	Polyglyceryl-3 Polyricinoleate	2.0	W/O Emulsifier
B	CETIOL® MM	Myristyl Myristate	4.0	Emollient
B	Tocopherol	Tocopherol	1.0	Antioxidant
C	Water demin.	Aqua	4.0	Diluent
D	Timiron® Splendid Red	Mica (and) Titanium Dioxide (and) Silica	3.0	Color
D	Timiron® Silk Red	Titanium Dioxide (and) Mica (and) Tin Oxide	3.0	Color
D	SanTalc 511	Talc	12.0	Pigment
D	RICE PO4 Natural	Distarch Phosphate	10.0	Sensory Modifier

Preparation

1. Heat phase B to approximately 60°C.
2. Add Phase C drop by drop to Phase B under stirring and stir until an emulsion is formed.
3. Add phase A to phase B/C and homogenize (3min @10.000 rpm).
4. Add phase D one by one until a homogenous paste is obtained.

Suppliers

IOI Oleo
BASF
Merck
Sandream Impact
AGRANA

IMWITOR®, MIGLYOL®, SOFTISAN® WITARIX®
CETIOL®
Timiron®
SanTalc
RicePO4

INSTA-READY

Stable for three months @ 40°C

BALM TEXTURE

MOISTURIZED



IOI OLEOCHEMICAL

IOI Oleo GmbH
PERSONAL CARE

Visit us at www.ioioleo.de or send us an e-mail to personalcare@ioioleo.de
IOI Oleo GmbH – Herrengarten 31 – 20459 Hamburg, Germany - +49 40 280 031 0